



MC-CF - MITRED CORNER MODULE FOR CUSTOM FLOW

CORNER TYPE:



☐ FLAT - Flat (In-Plane) Miter




☐ IC - Inside Corner




 $\hfill\square$ OC - Outside Corner


SLOT QUANTITY:



FRAME STYLE:




 \square EF - Exposed Frame




☐ CMF - Concealed Mud Frame

Slot Width (S)	Α	В	Н	W1 (1 Slot)	W2 (2 Slot)	Т
1" (25mm)	1 7/16" (37mm)	1 11/16" (43mm)	1 3/4" (44mm)	2 3/4" (70mm)	5 1/16" (129mm)	1 3/8" (35mm)
1 1/2" (38mm)	1 11/16" (43mm)	1 15/16" (49mm)	2" (51mm)	3 3/4" (95mm)	7 1/16" (179mm)	1 7/8" (48mm)
2" (51mm)	1 15/16" (49mm)	2 3/16" (56mm)	2 1/4" (57mm)	4 3/4" (121mm)	9 1/16" (230mm)	2 3/8" (60mm)
2 1/2" (64mm)	2 3/16" (56mm)	2 3/8" (60mm)	2 1/2" (64mm)	5 3/4" (146mm)	11 1/16" (281mm)	2 7/8" (73mm)
3" (76mm)	2 7/16" (62mm)	2 5/8" (67mm)	2 3/4" (70mm)	6 3/4" (171mm)	13 1/16" (332mm)	3 3/8" (86mm)

MOUNTING:



 $\hfill \square$ MP-D625 - Non-Rev. 5/8" Drywall Mtg. Clip



☐ A - Countersunk Holes
• Only available with CMF frame

Slot Width	Slot Qty.	Opening Width
1" (OF)	Slot Qty. 1 2 1 2 1 2 1 2 1 2 1 2 1	3 3/8" (86mm)
1" (25mm)	2	5 11/16" (144mm)
1 1/0" (20)	1	4 3/8" (111mm)
1 1/2" (38mm)	2 5 11/1 1 4 3/8 2 7 11/1 1 5 3/8 2 9 11/1 1 6 3/8 2 11 11/	7 11/16" (195mm)
2" (51mm)	1	5 3/8" (137mm)
2 (3111111)	1 2 1 2 1 2 1 2 2	9 11/16" (246mm)
2 1/2" (64mm)	1	6 3/8" (162mm)
2 1/2 (6411111)	2 7 11/16' 1 5 3/8" 2 9 11/16' 1 6 3/8" 2 11 11/16 1 7 3/8"	11 11/16" (297mm)
2" (76mm)	1	7 3/8" (187mm)
3" (76mm)	2	13 11/16" (348mm)

 $\hfill \square$ MP-DR - Reversible 1/2" or 5/8" Drywall Mtg. Clip

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.			
PROJECT:			DLICG,
ENGINEER:			MC-CF MITRED CORNER
CUSTOMER:		269879	MODULE FOR CUSTOM FLOW
SUBMITTAL DATE:	SPEC. SYMBOL:	2023/11/06	




MC-CF - MITRED CORNER MODULE FOR CUSTOM FLOW


MODULE DIMENSIONS:

NOMINAL ANGLE:


- Available from 45° to 150°
- 45° to 69° not available for 2 slot FLAT 2.0" to 3.0" slot width configurations



Flat (In-Plane Miter)



Inside Corner



Outside Corner

		D	
Slot Width	Slot Qty.	45° - 69°	70° - 150°
1" (OF)	1	18" (457mm)	12" (305mm)
1" (25mm)	Slot Qty. 1 2 1 2 1 2 1 2 1 2 1 2	24" (610mm)	12" (305mm)
1 1/0" (20)	1	18" (457mm)	12" (305mm)
1 1/2" (38mm)	2	24" (610mm)	18" (457mm)
0" (E1 ma ma)	1	18" (457mm)	12" (305mm)
2" (51mm)	2	(n/a)	18" (457mm)
0.1/0" (64mm)	1	24" (610mm)	12" (305mm)
2 1/2" (64mm)	2	(n/a)	18" (457mm)
2" (76mm)	1	24" (610mm)	18" (457mm)
3" (76mm)	2	(n/a)	24" (610mm)

Frame Style	F
EF	1/4" (6mm)
CMF	1/2" (13mm)

	G		
Slot Width	45° - 69°	70° - 150°	
1" (25mm)	6" (152mm)	6" (152mm)	
1 1/2" (38mm)	9" (229mm)	6" (152mm)	
2" (51mm)	9" (229mm)	6" (152mm)	
2 1/2" (64mm)	9" (229mm)	6" (152mm)	
3" (76mm)	9" (229mm)	6" (152mm)	

MATERIAL:

- Extruded aluminum frame, spacers, and mounting clips
- Steel blankoffs
- · Plastic locking pins
- Coated steel fasteners

NOTES:

- · Mitered corner sections are blanked off
- (2) splice plates shipped loose with each unit
- For installation instructions, instructions for drywall finishing, or instructions for field trimming, please see the CF installation manual
- · Taping and plaster finishing by others
- Only compatible with model CF diffusers
- Factory tolerance +/- 1/32" (1mm)

PROJECT:

ENGINEER:

CUSTOMER:

SPEC. SYMBOL:

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

MC-CF
MITRED CORNER
MODULE FOR
CUSTOM FLOW

2023/11/06



MC-CF - MITRED CORNER MODULE FOR CUSTOM FLOW

FINISH:

• Diffuser face:

Standard Finishes:

☐ B12 - Standard white☐ PA - Prepared and washed aluminum

Optional Finishes Available:

- Optional colors
- Custom colors
- Anodized
- Woodgrain patterns
- Armstrong coordinated finishes
- See finishes brochure for additional information. Contact your PRICE representative for leadtimes and pricing.
- CMF outer frames come with a PA finish. On 2 slot variations, only center tee will be painted.
- Interior surface:
- NO-BFR Upper frame to match diffuser face
- Blank off plates B17 black



Scan for link to additional product information and installation instructions.

ALL METRIC DIMENSIONS () ARE	SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO	METRIC AND ROUNDED TO THE NEAREST	MILLIMETER.
PROJECT:			JCICE.
ENGINEER:			MC-CF MITRED CORNER
CUSTOMER:		269879	MODULE FOR CUSTOM FLOW
SUBMITTAL DATE:	SPEC. SYMBOL:	2023/11/06	