

HANGER BRACKETS (HB) LOCATION

COOLING ONLY			COOLING & HEATING (PREHEAT OR REHEAT)		
UNIT SIZE	W in. (mm)	L in. (mm)	UNIT SIZE	W in. (mm)	L in. (mm)
02	17 5/8" (448)	6" (152)	02	17 5/8" (448)	10" (254)
03	21 5/8" (549)		03	21 5/8" (549)	
04	27 5/8" (702)		04	27 5/8" (702)	
06	33 5/8" (854)		06	33 5/8" (854)	
08	41 5/8" (1057)		08	41 5/8" (1057)	
10	53 5/8" (1362)		10	53 5/8" (1362)	
12	61 5/8" (1565)	12	61 5/8" (1565)		


NOTES:

- 1/2" THROUGH HOLE FOR UNIT HANGING.
- 4 HANGING LOCATIONS PER UNIT.
- LAYOUT INDICATES SUGGESTED HANGER BRACKET LOCATIONS.



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		 TW 274880 2022/12/05 FAN COIL FCH HANGER BRACKET LOCATIONS (HB) CONCEALED (C) CONFIGURATION
ENGINEER:		
CUSTOMER:		
SUBMITTAL DATE:	SPEC. SYMBOL:	



HANGER BRACKETS (HB)
PRICE PART #: 247895

HANGER BRACKETS (HB) LOCATION

COOLING ONLY			COOLING & HEATING (PREHEAT OR REHEAT)		
UNIT SIZE	W in. (mm)	L in. (mm)	UNIT SIZE	W in. (mm)	L in. (mm)
02	17 5/8" (448)	17 1/2" (445)	02	17 5/8" (448)	21 1/2" (546)
03	21 5/8" (549)		03	21 5/8" (549)	
04	27 5/8" (702)		04	27 5/8" (702)	
06	33 5/8" (854)		06	33 5/8" (854)	
08	41 5/8" (1057)		08	41 5/8" (1057)	
10	53 5/8" (1362)		10	53 5/8" (1362)	
12	61 5/8" (1565)		12	61 5/8" (1565)	


NOTES:

- HANGER BRACKETS ARE 12 GAUGE ZINC COATED STEEL.
- 2 BRACKETS PER FAN UNIT.
- BRACKETS ARE SHIPPED LOOSE FOR FIELD INSTALLATION FOR USE WITH THREADED RODS. (BY OTHERS)
- LAYOUT INDICATES SUGGESTED HANGER BRACKET LOCATIONS.
- HANGER BRACKETS TO BE FLUSH WITH TOP OF UNIT.



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		FAN COIL FCH HANGER BRACKET LOCATIONS (HB) PLENUM (P) CONFIGURATION
ENGINEER:		
CUSTOMER:		
SUBMITTAL DATE:	SPEC. SYMBOL:	
		<i>TW</i> 274880 2022/12/05



HANGER BRACKETS (HB) LOCATION

UNIT SIZE	W in. (mm)
02	17 5/8" (448)
03	21 5/8" (549)
04	27 5/8" (702)
06	33 5/8" (854)
08	41 5/8" (1057)
10	53 5/8" (1362)
12	61 5/8" (1565)


NOTES:

- 1/2" THROUGH HOLE FOR UNIT HANGING.
- 4 HANGING LOCATIONS PER UNIT.
- LAYOUT INDICATES SUGGESTED HANGER BRACKET LOCATIONS.




ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		 FAN COIL FCH HANGER BRACKET LOCATIONS (HB) EXPOSED (E) CONFIGURATION
ENGINEER:		
CUSTOMER:		
SUBMITTAL DATE:	SPEC. SYMBOL:	
		TW 274880 2022/12/05



**FCH COOLING CONFIGURATION
2 WAY VALVE PACKAGE**





**FCH COOLING CONFIGURATION
3 WAY VALVE PACKAGE**

NOTES:

- VALVES TO BE ASSEMBLED, TESTED, AND SHIPPED AS DEPICTED
- REFER TO UNIT SUBMITTAL FOR COIL HANDING, VALVES ALWAYS OPPOSITE SIDE HANDING AS UNIT
- AUXILIARY DRAIN PAN SUPPLIED FOR ALL VALVE PACAKGES, SHIPPED LOOSE



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		PRICE
ENGINEER:	<i>TW</i>	
CUSTOMER:	274881	FAN COIL FCH VALVE PACKAGE 2 WAY & 3 WAY 2 PIPE & 4 PIPE CONFIG
SUBMITTAL DATE:	2022/12/05	
SPEC. SYMBOL:		



AUXILIARY DRAIN PAN
SUPPLIED W/ ALL VALVE PACKAGES
SHIPPED LOOSE

**FCH 4 PIPE CONFIGURATION
2 WAY VALVE PACKAGE**



AUXILIARY DRAIN PAN
SUPPLIED W/ ALL VALVE PACKAGES
SHIPPED LOOSE

**FCH 4 PIPE CONFIGURATION
3 WAY VALVE PACKAGE**

NOTES:

- VALVES TO BE ASSEMBLED, TESTED, AND SHIPPED AS DEPICTED
- REFER TO UNIT SUBMITTAL FOR COIL HANDING, VALVES ALWAYS OPPOSITE SIDE HANDING AS UNIT
- AUXILIARY DRAIN PAN SUPPLIED FOR ALL VALVE PACAKGES, SHIPPED LOOSE

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		PRICE
ENGINEER:	<i>TW</i>	
CUSTOMER:		274881
SUBMITTAL DATE:	SPEC. SYMBOL:	2022/12/05
		FAN COIL FCH VALVE PACKAGE 2 WAY & 3 WAY 2 PIPE & 4 PIPE CONFIG